



A service of the National Library of Medicine
and the National Institutes of Health

My NCBI

[Sign In] [Register]

All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books
Search for

Limits Preview/Index History Clipboard Details

Display Show Send to

All: 19 Review: 0

Items 1 - 19 of 19

One page.

About Entrez

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorials

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation

Matcher

Batch Citation

Matcher

Clinical Queries

Special Queries

LinkOut

My NCBI

Related Resources

Order Documents

NLM Mobile

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

1: Masai H, Taniyama C, Ogino K, Matsui E, Kakusho N, Matsumoto S, Kim JM, Ishii A, Tanaka T, Kobayashi T, Tamai K, Ohtani K, Arai KI. Related Articles, Links

Phosphorylation of MCM4 by CDC7 kinase facilitates its interaction with CDC45 on the chromatin.

J Biol Chem. 2006 Oct 17; [Epub ahead of print]

PMID: 17046832 [PubMed - as supplied by publisher]

2: Cho WH, Lee YJ, Kong SI, Hurwitz J, Lee JK. Related Articles, Links

CDC7 kinase phosphorylates serine residues adjacent to acidic amino acids in the minichromosome maintenance 2 protein.

Proc Natl Acad Sci U S A. 2006 Aug 1;103(31):11521-6. Epub 2006 Jul 24.

PMID: 16864800 [PubMed - indexed for MEDLINE]

3: Montagnoli A, Valsasina B, Brotherton D, Troiani S, Rainoldi S, Tenca P, Molinari A, Santocanale C. Related Articles, Links

Identification of Mcm2 phosphorylation sites by S-phase-regulating kinases.

J Biol Chem. 2006 Apr 14;281(15):10281-90. Epub 2006 Jan 30.

PMID: 16446360 [PubMed - indexed for MEDLINE]

4: Yoshizawa-Sugata N, Ishii A, Taniyama C, Matsui E, Arai K, Masai H. Related Articles, Links

A second human Dbf4/ASK-related protein, Drf1/ASKL1, is required for efficient progression of S and M phases.

J Biol Chem. 2005 Apr 1;280(13):13062-70. Epub 2005 Jan 24.

PMID: 15668232 [PubMed - indexed for MEDLINE]

5: Xu K, Stern AS, Levin W, Chua A, Vassilev Related Articles, Links

LT.

 A generic time-resolved fluorescence assay for serine/threonine kinase activity: application to Cdc7/Dbf4.
J Biochem Mol Biol. 2003 Jul 31;36(4):421-5.
PMID: 12895303 [PubMed - indexed for MEDLINE]

6: [Sato N](#), [Sato M](#), [Nakayama M](#), [Saitoh R](#), [Arai K](#), [Masai H](#). Related Articles, Links

 Cell cycle regulation of chromatin binding and nuclear localization of human Cdc7-ASK kinase complex.
Genes Cells. 2003 May;8(5):451-63.
PMID: 12694534 [PubMed - indexed for MEDLINE]

7: [Edwards MC](#), [Tutter AV](#), [Cvetic C](#), [Gilbert CH](#), [Prokhorova TA](#), [Walter JC](#). Related Articles, Links

 MCM2-7 complexes bind chromatin in a distributed pattern surrounding the origin recognition complex in Xenopus egg extracts.
J Biol Chem. 2002 Sep 6;277(36):33049-57. Epub 2002 Jun 26.
PMID: 12087101 [PubMed - indexed for MEDLINE]

8: [Ishimi Y](#), [Komamura-Kohno Y](#), [Arai K](#), [Masai H](#). Related Articles, Links

 Biochemical activities associated with mouse Mcm2 protein.
J Biol Chem. 2001 Nov 16;276(46):42744-52. Epub 2001 Sep 21.
PMID: 11568184 [PubMed - indexed for MEDLINE]

9: [Takeda T](#), [Ogino K](#), [Tatebayashi K](#), [Ikeda H](#), [Arai Ki](#), [Masai H](#). Related Articles, Links

 Regulation of initiation of S phase, replication checkpoint signaling, and maintenance of mitotic chromosome structures during S phase by Hsk1 kinase in the fission yeast.
Mol Biol Cell. 2001 May;12(5):1257-74.
PMID: 11359920 [PubMed - indexed for MEDLINE]

10: [Kihara M](#), [Nakai W](#), [Asano S](#), [Suzuki A](#), [Kitada K](#), [Kawasaki Y](#), [Johnston LH](#), [Sugino A](#). Related Articles, Links

 Characterization of the yeast Cdc7p/Dbf4p complex purified from insect cells. Its protein kinase activity is regulated by Rad53p.
J Biol Chem. 2000 Nov 10;275(45):35051-62.
PMID: 10964916 [PubMed - indexed for MEDLINE]

11: [Masai H](#), [Matsui E](#), [You Z](#), [Ishimi Y](#), [Tamai K](#), [Arai K](#). Related Articles, Links

Human Cdc7-related kinase complex. In vitro phosphorylation of

 MCM by concerted actions of Cdk5 and Cdc7 and that of a critical threonine residue of Cdc7 by Cdk5.
J Biol Chem. 2000 Sep 15;275(37):29042-52.
PMID: 10846177 [PubMed - indexed for MEDLINE]

12: Pereverzeva I, Whitmire E, Khan B, Coue M. Related Articles, Links
 Distinct phosphoisoforms of the Xenopus Mcm4 protein regulate the function of the Mcm complex.
Mol Cell Biol. 2000 May;20(10):3667-76.
PMID: 10779356 [PubMed - indexed for MEDLINE]

13: Zou L, Stillman B. Related Articles, Links
 Assembly of a complex containing Cdc45p, replication protein A, and Mcm2p at replication origins controlled by S-phase cyclin-dependent kinases and Cdc7p-Dbf4p kinase.
Mol Cell Biol. 2000 May;20(9):3086-96.
PMID: 10757793 [PubMed - indexed for MEDLINE]

14: Jiang W, McDonald D, Hope TJ, Hunter T. Related Articles, Links
 Mammalian Cdc7-Dbf4 protein kinase complex is essential for initiation of DNA replication.
EMBO J. 1999 Oct 15;18(20):5703-13.
PMID: 10523313 [PubMed - indexed for MEDLINE]

15: Lepke M, Putter V, Staib C, Kneissl M, Berger C, Hoehn K, Nanda I, Schmid M, Grummt F. Related Articles, Links
 Identification, characterization and chromosomal localization of the cognate human and murine DBF4 genes.
Mol Gen Genet. 1999 Sep;262(2):220-9.
PMID: 10517317 [PubMed - indexed for MEDLINE]

16: Takeda T, Ogino K, Matsui E, Cho MK, Kumagai H, Miyake T, Arai K, Masai H. Related Articles, Links
 A fission yeast gene, him1(+)/dfp1(+), encoding a regulatory subunit for Hsk1 kinase, plays essential roles in S-phase initiation as well as in S-phase checkpoint control and recovery from DNA damage.
Mol Cell Biol. 1999 Aug;19(8):5535-47.
PMID: 10409743 [PubMed - indexed for MEDLINE]

17: Brown GW, Kelly TJ. Related Articles, Links
 Purification of Hsk1, a minichromosome maintenance protein kinase from fission yeast.
J Biol Chem. 1998 Aug 21;273(34):22083-90.
PMID: 9705352 [PubMed - indexed for MEDLINE]

18: [Lei M, Kawasaki Y, Young MR, Kihara M, Sugino A, Tye BK.](#) Related Articles, Links

 Mcm2 is a target of regulation by Cdc7-Dbf4 during the initiation of DNA synthesis.

Genes Dev. 1997 Dec 15;11(24):3365-74.

PMID: 9407029 [PubMed - indexed for MEDLINE]

19: [Sato N, Arai K, Masai H.](#) Related Articles, Links

 Human and Xenopus cDNAs encoding budding yeast Cdc7-related kinases: in vitro phosphorylation of MCM subunits by a putative human homologue of Cdc7.

EMBO J. 1997 Jul 16;16(14):4340-51.

PMID: 9250678 [PubMed - indexed for MEDLINE]

Display [Summary](#) Show [20](#) Sort by Send to

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Nov 6 2006 15:24:20

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	cdc7 and mcm2 and serine and phosphorylation	USPAT	OR	OFF	2006/11/20 14:07
L2	0	mcm2 near4 (serine adj phosphorylation)	USPAT	OR	OFF	2006/11/20 14:08

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTASXS1656

PASSWORD :

TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 AUG 09 INSPEC enhanced with 1898-1968 archive
NEWS 4 AUG 28 ADISCTI Reloaded and Enhanced
NEWS 5 AUG 30 CA(SM)/CAplus(SM) Austrian patent law changes
NEWS 6 SEP 11 CA/CAplus enhanced with more pre-1907 records
NEWS 7 SEP 21 CA/CAplus fields enhanced with simultaneous left
and right truncation
NEWS 8 SEP 25 CA(SM)/CAplus(SM) display of CA Lexicon enhanced
NEWS 9 SEP 25 CAS REGISTRY(SM) no longer includes Concord 3D
coordinates
NEWS 10 SEP 25 CAS REGISTRY(SM) updated with amino acid codes for
pyrrolysine
NEWS 11 SEP 28 CEABA-VTB classification code fields reloaded with
new classification scheme
NEWS 12 OCT 19 LOGOFF HOLD duration extended to 120 minutes
NEWS 13 OCT 19 E-mail format enhanced
NEWS 14 OCT 23 Option to turn off MARPAT highlighting enhancements
available
NEWS 15 OCT 23 CAS Registry Number crossover limit increased to
300,000 in multiple databases
NEWS 16 OCT 23 The Derwent World Patents Index suite of databases
on STN has been enhanced and reloaded
NEWS 17 OCT 30 CHEMLIST enhanced with new search and display field
NEWS 18 NOV 03 JAPIO enhanced with IPC 8 features and functionality
NEWS 19 NOV 10 CA/CAplus F-Term thesaurus enhanced
NEWS 20 NOV 10 STN Express with Discover! free maintenance release
Version 8.01c now available
NEWS 21 NOV 13 CA/CAplus pre-1967 chemical substance index entries
enhanced

with preparation role

NEWS EXPRESS NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8 of IPC 8	For general information regarding STN implementation
NEWS X25	X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 14:08:24 ON 20 NOV 2006

=> File Medline EMBASE Biosis Caplus

COST IN U.S. DOLLARS

SINCE FILE ENTRY 0.21	TOTAL SESSION 0.21
-----------------------------	--------------------------

FULL ESTIMATED COST

FILE 'MEDLINE' ENTERED AT 14:08:43 ON 20 NOV 2006

FILE 'EMBASE' ENTERED AT 14:08:43 ON 20 NOV 2006
Copyright (c) 2006 Elsevier B.V. All rights reserved

FILE 'BIOSIS' ENTERED AT 14:08:43 ON 20 NOV 2006
Copyright (c) 2006 The Thomson Corporation

FILE 'CAPLUS' ENTERED AT 14:08:43 ON 20 NOV 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

=> s mcm2 (6A) (serine (2a) phosphorylation)
L1 1 MCM2 (6A) (SERINE (2A) PHOSPHORYLATION)

=> s l1 and cdc7 .
L2 0 L1 AND CDC7